NACo Meth Presentation Teen Version

Prior to using this presentation, please refer to the speaker notes found in the notes view of PowerPoint

Methamphetamine



Meth Kills




Meth Destroys Communities




Meth Costs You Money



Meth Hurts Kids






Meth Will Change Your Life...Forever




METHAMPHETAMINE: An amine derivative of amphetamine, used in the form of its crystalline hydrochloride as a central nervous system stimulant, both medically and illicitly.



Pharmaceutical Meth



METH/ICE: It could be far worse Hawaii: More meth than alcohol death in 2002



Meth Variations

- I-Meth (levo-M) is the active ingredient in OTC products (such as VICKS inhalers). Used as directed, it poses no risk to health; does not have substantial addictive qualities.
- dl-Meth (dextro-levo-Meth) is produced using the P2P method (preferred method late 1970s to early 1980s.) Production and use of dl-Meth, less potent than d-Meth, is limited but present.
- d-Meth (dextro-Meth) is produced using ephedrine/ pseudo reduction methods. It is a controlled substance and potent CNS stimulant that enters the brain easily. Highly addictive, d-Meth is the most potent, widely abused form of Methamphetamine.

Red-Phosphorus Meth



YABA - Meth and Caffeine



METH, ICE, GLASS, CRYSTAL







Meth Made with Anhydrous



www.streetdrugs.org


















There is no single profile of a Meth user.





METH users are our children, our neighbors and our friends. They are young and old, rich and poor, rural and urban.

Millis an equal opportunity addiction.

"We're losing children to this drug war, and we need to take our children back."

Associated Press, Walker MN, August 2003



"Methamphetamine has become an epidemic in our Indian Country,"


said Jan Morley, assistant U.S.

attorney...



Most Meth users admitted to treatment are polydrug users.

Meth Kills



"I used meth the first time because I didn't know...

... I used meth the second time because I didn't care."

People take Meth to feel good.





People take Meth to look good.







Age 32 Age 41

People take Meth to look good.



People take Meth to improve their sex and social lives.



People take Meth to improve their sex and social lives.



Meth takes people out of their homes in many ways...



Meth takes people out of their homes in many ways...



Meth takes people out of their homes in many ways...



Meth takes people out of their homes in many ways...



Meth takes people out of their homes in many ways...



Meth takes people out of their homes in many

ways...



Meth Hurts Kids



Despite the dangers, people make Meth where they and their children live.















Life is not safe, where surveillance is needed.



Scenes from Jade's house...





Jade and her mom shared a bed on which Meth, chemicals and paraphernalia were found.






What will Jade have for lunch?

....little food but plenty of syringes.





Abundant supply of toxic chemicals throughout the home.




Every little life, deserves our attention.



Children are Meth Victims



What can we do to keep children safe?



How do we intervene before tragedy occurs?



METH defies the usual trend



...coming first to rural areas



Meth is dangerous to first responders.



Meth is dangerous to first responders.



Some people use Meth to look good....



These lead to ...



These.



Meth Kills




The use of Amphetamines, including Meth, has long been associated with violent

behavior.



Drug Related Homicides



Meth Use is Associated with Suicide In and Out of Jail







Meth addict Tracy Miller, 34




Multnomah County, Oregon

- \$363 cost per household in 2004
- Cost estimates include:
 - crime
 - fires
 - lab cleanup
 - foster care



Many long-term costs are difficult to estimate.

...Cooking METH adds another element of danger



...Cooking METH adds another element of danger



...Cooking METH adds another element of danger.



In 2001, an estimated 29,000 AIDS cases were diagnosed among minority racial or ethnic groups.

(CDC, 2002)

People take Meth to look good.....





People Take Meth to feel good....









Crank Bugs



Some people use Meth to



look good?

Meth Mites





Speed Bumps

Teens in Meth-using and making homes are at risk in so many ways...






4 in 5 children arrested are using something; few get treatment (Columbia University study)



Long-Term I-M Meth Injector








Three Months





Four Months






Seven Months





Seventeen Months






Two Years, Three Months

Prolonged drug use causes fundamental changes in the brain.

Loss of Dopamine Neurons After Heavy Methamphetamine Use




Comparison Subject

METH Abuser

Some damage to brain tissue and systems may be permanent. MRIs and PET scans of some chronic users look like those of people with stroke, Parkinsons, Alzheimers, and epilepsy.


























de my life.

Meth Kills




Meth Destroys Communities





Meth Costs You Money



Meth Hurts Kids








What is

Meth?

METHAMPHETAMINE: An amine derivative of amphetamine, used in the form of its crystalline hydrochloride as a central nervous system stimulant, both medically and illicitly.



Meth Variations

- I-Meth (levo-M) is the active ingredient in OTC products (such as VICKS inhalers). Used as directed, it poses no risk to health; does not have substantial addictive qualities.
- dl-Meth (dextro-levo-Meth) is produced using the P2P method (preferred method late 1970s to early 1980s.) Production and use of dl-Meth, less potent than d-Meth, is limited but present.
- d-Meth (dextro-Meth) is produced using ephedrine/ pseudo reduction methods. It is a controlled substance and potent CNS stimulant that enters the brain easily. Highly addictive, d-Meth is the most potent, widely abused form of Methamphetamine.

Meth Ingredients

• Ephedrine or pseudoephedrine, red phosphorous, hydrochloric acid, drain cleaner, battery acid, lye, lantern fuel, anhydrous ammonia, antifreeze, etc.

A Little Meth History

- World War II
- Hell's Angels
- Synthetic Manufacture
- Deregulation of Cold Medicine

Meth

- Easy to make
- Easy to use
- Inexpensive
- Highly Addictive

- RUSH (5-30 MINUTES)
 - The abuser's heartbeat races and metabolism, blood pressure and pulse soar with intense feelings of pleasure.

- HIGH (4-16 Hours)
 - The meth user often feels aggressively smarter and becomes argumentative.

- •BINGE (3-15 Days)
 - The meth user maintains the high for as long as possible and becomes hyperactive, both mentally and physically.

• TWEAKING

The most dangerous stage of the cycle. Tweakers have probably not slept in 3-15 days and are irritable and paranoid.

- CRASH (1-3 Days)
 - The user does not pose a threat to anyone. He becomes very lethargic and sleeps.

• NORMAL (2-14 DAYS)

The user returns to a state that is slightly deteriorated from the normal state before the abuse.

• WITHDRAWAL (30-90 Days)

-No immediate symptoms are evident, but the user first becomes depressed and then lethargic. The craving for meth hits and he may become suicidal.



Meth,

Guns and

Sex

Meth and Pregnancy

Kathyrn Wells, MD, Denver Family Crisis Center, 2004.

- Meth causes increased maternal blood pressure and heart rate, which can result in premature delivery or spontaneous abortion.
- Meth constricts blood vessels in the placenta, resulting in reduced blood flow to the fetus; reduced oxygen and nutrient supply.
- Meth passes through the placenta; can cause elevated fetal blood pressure leading to prenatal strokes, heart or organ damage; slowed or altered fetal growth

Meth and Pregnancy

Dr. Rizwan Shah, Blank Children's Hospital, Des Moines


Observed among 500+ pregnant meth users:

- Users often malnourished
- Some pre-birth stroke and brain hemorrhage
- Some babies born meth-dependent
- Increased rates of preemies; full-term but low weight-slow growth babies showing:
 - difficulty sucking/swallowing
 - hypersensitivity to touch and light
 - tremors, and coordination problems

Approaching Someone High on Meth

Idaho State Police


- Stay 6 10 feet away
- Avoid shining bright lights at them
- Slow your speech and lower the pitch of your voice




Approaching Someone High on Meth

Idaho State Police

- Slow your movements
- Keep your hands visible
- Keep the "Tweaker" talking
- Back out slowly, maintaining eye contact until you are safely away from harm.



Dopamine plays an important role in the regulation of pleasure.



Smoking ice: From the lungs to the brain

Brain

Heart


Lungs

Smoking crystal methamphetamine sends the drug
quickly to the brain. From
the lungs, meth molecules
immediately enter the bloodstream and travel to the left
side of the heart, which
pumps it into the brain, then
through all the body.

A single dose of methamphetamine lasts for 6 to 8 hours.

A single dose of **cocaine** lasts only 8 to 20 minutes.

Triggering the pleasure centers



1 Methamphetamine enters the nerve cell ...

2 releasing dopamine ...

3 which then fits into specialized receptors located on other nerve cells, creating a rush of pleasure.

Damage and death: Effects of prolonged use

- > Small doses: euphoria, decreased appetite and increased blood pressure, pulse, respiration and alertness.
- ➤ Increasing doses: Agitation, irritability, paranoia, hallucinations of sights and sounds, convulsions, coma, death.
- Withdrawal: depression, protracted sleep.





How methamphetamine works in the body


Amphetamines replicate the stimulant the brain manufactures to respond to stress. Methamphetamine has an effect on the body similar to adrenaline, a survival hormone that allows people to function beyond normal limits.

Straight to the brain

- Meth enters the brain cells from the bloodstream.
- 2. It produces a storm of neuro-chemical activity having the brain release chemical messengers, called neurotransmitters, to stimulate sections of the brain.
- Meth affects the cerebral cortex and causes the experiencing of heightened energy, elevated euphoria and powers of reasoning and thinking.
- The drug also targets the limbic area –or pleasure center– which controls food, fight, flight and the sex drive.

Triggering the pleasure centers

Methamphetamine 1 Methamphetamine enters



Cerebral cortex

It is devoted to the senses. It enables an individual to see, hear, smell, taste and touch. It also facilitates speech and the understanding of words.

Limbic system

The limbic system influences instinctive behavior similar to animal responses that relate to survival.

Brain stem

It's the brain's lowest portion and controls basic functions such as heart rate, breathing, eating and sleeping.



Key knowledge about meth!

You and your community are not and will not be isolated from meth.

You can't run from it or look for someone else to fix it.

Meth users are in every segment and demographic profile.

You can't just talk about it.

You can't doit alone.

There is no magic bullet solution for solving the problem, but...

A

Strategy for Action

revention

Goal/Vision: To create a community environment where Meth is not used and aggressive measures are taken by all parties to impede the manufacture, sale and use of meth.

Cucation

Goal/Vision: To create a community environment where all members of the community (adults, teens, youth) are knowledgeable regarding meth, its manufacture, distribution, sale and use.

reatment

Goal/Vision: To create a community environment where the continuum of treatment options are available, affordable and provided by both public and private providers.

Inforcement

Goal/Vision: To create a community environment where the enforcement of meth laws and ordinances is supported by all members of the community; that penalties for the violation of these laws and ordinances is consistent and metered so that the penalty matches the crime; that the responsible level of government is responsible for incarceration and that the level of supervision is appropriate to crime committed.

ictims

Goal/Vision: To identify the victims of meth use and provide the support and community programming needed to meet their unique needs. These victims include users, the families of users and the communities in which meth is used.



If you think meth will not affect your life;

THINK A GAMIN

Meth Kills



If you think Meth will not affect your community; THINK AGAIN.

Meth Destroys Communities



If you think your community has already done something;

THINK AGAIN


Meth Costs You Money




If you think your county has spent enough to combat meth;

THIM A GAM

Meth Hurts Kids





If you think your community is winning the battle against meth;

THINK A GAIN

